Purchasing Receipts

PO040109 MEC002- VU Net 30 M304B1.000X1.000 304 Bar 1.00 X 1.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE	PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	
receive ft	PO040109		2	1	Net 3ố		1.00: MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE			12	6/20/2018	12		\$080448	Stock	6/12/2018	\$ 23.26 / ft	C	

Plex 6/12/2018 2:16 PM Dart.Dubois.Pascal

26647348

Castle Metals®

CERTIFICATE OF CONFORMANCE

PACKING SLIP/

A. M. Castle & Co.

Page 1 of 1

Shipment No:3618979

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. For credit.

Reviewed by Authorized Castle Metals Representative:

| Date: | Name: | | Name: | | Name: | | Name: |

500 500°

Castle Metals

HEAT NUMBER:	276010
MECHANICAL ID:	
ITEM CODE:	8560
PO/LINE NUMBER:	437740
RECEIPT NUMBER:	
SUPPLIER:	VALBRUNA
SPECIFICATION:	
LCS:	NO
COMMENT:	
APPROVED:	AMB



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO040109

Tel (613) 632-5200

Supplier:

MEC002-VU

Metaux Castle P.O. Box 4090 Stn A

Toronto ON

M5W OE9 Canada

PO No:

PO040109

PO Date:

6/5/18

Due Date:

6/20/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada

Phone: 613-632-5200

Via:

Ground

Pymt Terms:

Net 30

Freight Terms:

Special Comments:

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity		Unit Price (USD)	Extended Price
1	M7075T6S1.000X5.000		7075-T6 Sheet1" Thick Plate X 5" Wide : MATERIAL: 7075- T6/T62 ALUMINUM SHEET AS PER QQ-A- 250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	6/20/18	24 ft	O ft	24 ft	\$41.05/ft	\$985.20
2	M304B1.000X1.000		304 Bar 1.00 X 1.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	6/20/18	12 ft	12) 12 ft Jl	\$23.26/ft JN 1 2 2018	\$279.12
3	M303B3.000X6.000	Year or	AISI 303 SS Bar 3,000" x 6,000" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft	Firmed	6/20/18	4 ft	O ft	4 ft	\$139.9725/ft	\$559.89
4	M303B2.000X1.750		303 Bar 2" X 1.750" : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft	Firmed	6/20/18	12 ft	O ft	12 ft	\$111.75/ft	\$1,341.00

Order Notes

Plex 6/5/18 12:19 PM dart.lavoie.chanta



Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 6/5/18 12:19 PM dart.lavoie.chantal

Chantal Lavoie

From:

Desbiens, Marc <mdesbien@amcastle.com>

Sent:

Friday, June 01, 2018 8:17 AM

To:

Chantal Lavoie

Subject:

RE: quote

Good Morning Chantal.

price and delivery on mat'l.

7075t6 plate 1" x 5" x 24 ft \$ 41.05 Ft 2 weeks

304 bar 1 x 1 x 12 ft \$ 23.26 Ft 2 weeks 304 bar 0.500" x 12" x 6 ft Must regret, not available

303 bar 3" x 6" x 4 ft \$ 559.89 Ft 2 weeks 303 bar 2" x 1.750" x 12 ft \$ 111.75 Ft 2 weeks

Thanks

Marc Desbiens Inside sales representative Castle Metals, Montreal, QC Direct line 514-795-8176 1-800-806-6660 ext 52226 Fax # 1-855-892-6370

Customized Supply Chain Solutions for Your Metal Needs

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.

This e-mail message has been scanned by SEG Cloud

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M30 DATE:	04 <i>B1.0</i> N 1 2 20	<u>000 X</u> 18	1.000		PO / BATC	н no.: <u>04</u>	0109/500	
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	es 21		-	THICK	NESS ORD NESS RECE SIZE ORDI SIZE RECE	EIVED:	000	
DESCRIPTION	NCR (Check Y/N)				COMMEN	ITS		
SURFACE DAMAGE	YN	1	- 1 Miles - 1					
CORRECT FINISH	YN							
CORROSION	Y (N)							
CORRECT GRAIN DIRECTION	YN	1		-				
CORRECT MATERIAL PER M-DRAWING	YN	7154	n 1/1	26				
CORRECT THICKNESS	(Y) N	110	11/1	10				
PHOTO REQUIRED	YN							
CORRECT REF # TO LINK CERT	VN	No-	LITE	17/1	310			
CORRECT MATERIAL IDENTFICATION			150	10				
	YN							
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	YN							
DOES THIS REQUIRE AN	5							
EXTRUSION REPORT	YN							
CUT SAMPLE PIECE	OF MAT	ERIAL A	ND PREF	FORM A	A HARDNE	SS CHECK.		
		IRC	HRB		DIID A	DUDE	Liame	
YPE OF MATERIAL	<u> </u>	11.0	пкв		DUR A	DUR D	WEBSTER	
SIZE OF TEST SAMPLE	-							
ARDNESS / DUROMETER READING								
testers located in the Quality Office								
	testers le	ocated in	trie Quality	Office				

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY:	DAS	SIGNED OFF BY:
DATE:	9-89 HIN 1 2 2010	DATE:
	3011 1 2 2010	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

DELEASED 10 2010 -11- 30

REV. C SHEET 1 OF 1 SCALE CP 09.07.15 PH 05.06.10 BY DATE 10.11.25 DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA M304B TITLE
304/316 BAR/PLATE
copyright 6 2005 BY DART AEROSPACE LTD
instruction of the copyright MB ADDED PLATE TO PURCHASE MATERIAL, ADDED PLATE RELATED SPECIFICATIONS, AND EG.: CHANGED TITLE FROM "304/316 BAR/PLATE" REFORMAT DWG, ADD SPECS (ZN D6-1), REF PAR 08-020A NEW ISSUE DESCRIPTION 10.11.25 DRAWN
CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE DESIGN REV. В

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE (NOTE: AISI 303 NOT ACCEPTABLE)

ASTM A276 OR ASTM A240 M304B T.TTT X WW.WWW THICK WIDTH SPECIFICATION: PART NUMBER:

WHERE "T.TTT" = THICKNESS IN INCHES AND "WW.WWW" = WIDTH IN INCHES

۵

B

<

O

0

G. 0.5" x 3.0" BAR = M304B0.500X03.000 EG. 0.5" X 12.0" PLATE = M304B0.500X12.000



Acciaierie Valbruna s.p.A.

36100 VICENZA (Ilalia) - Viate della scienza, 25 z.i. Telefono 0444.968211 - Fax 0444.963836 Stab. 39100 BOLZANO (Nalia) - Via A. Volta, 4/37 o Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificate nr. MEST202596 / 2018 /

Cliente / Besteller/Purchaser/Client VALBRUNA STAINLESS INC 2400 TAYLOR STREET WEST 46801 - FORT WAYNE, IN 46801 - US

Stato di fornitura Lasterzustand Delivery state Etat de hyraisos

Hot rolled Descaled Annealed Hot rolled

Produttore Herzieller/filem/Usine producting

ACCIAIERIE VALBRUNA S.P.A.

Tipo di Elaborazione E+AOD

Marchi di Fabbrica: Zeichen des Liefernwerkes Trade marks Sigles de l'usine productrice

Bestell Your order Commands Conferma ordine nr. El17012730 Werk VOut Order/Raf or

Ordine nr: 55651 437740 CASTLE

Avviso di Spedizione: D-VI18004726

Qualità: rkstof/Grade/Nualice T-304/304L #8560

Punzone del Collaudatore Siempal des Werkssachverstandigen Inspector s stamp/Poincon de l'assayeur

MR

Marca Markenbezeichnung Brand / Nuance

Punzonatura: 304/304L

Kennzeichnung Marking Marquaga

SPECIFICHE:

Anfordarungen / Requiements / Exigences

Aufzeichnungen / Notes / Notes

3304-23 49 304 A AISI 304

AMS 5639 H S30400 A

AMS-QQ-S-763 D 304 A

ASME SA182 2015 S30400 A (0) ASME SA479 2015 S30400 A (1)

ASTM A182 2016 S30400 A (2) ASTM A262 2015 PRACTICE E

ASTM A275 20 7 S30400 A ASTM A479 2017 S30400 A

(0) SECTION II PT.A 2015 EDITION For products machined directly from her refer to ASME SA479.

(1)SECTION II PT.A 2015 EDITION

(2)For products machined directly from bar refer plac to ASTM A478.

AISL

Tolleranza ASTM A484-16 TABLE 3

Tokeranz e/Allowance/Tolerance Pos. nr. Oggetto Dimensioni - In Lunghezza - In Colata Pezzi Peso-LB Lotto nr. 0010 Square 1,0000 x 1,0000 144/ 153 276010. 3.091 802407860

	1		1760	innosudmaie/langs 1	etrasvaranlerquar Gix	tem produkt te		ac routingse	riuena	sopre el mare.	ria) así come entreg	ado			
TEST	Provette/ Preservita SpecimentEscurvette Lory dawn Spetz- Briefe Dron. Droka 19600: Dasse Trachieria Lory, Serie, 49000	°F	Prosta Esggsa Losson Estatement		Shervamento Esvergrenge Yark Szess Lawas servague		Allung	ernento ernento ernent ernent E 4d	Enst	zione manny moduce moduce RA	Resilienza Hartachapariant Impact Value Mesilienza		Durezza Hanny Hannya Hannya Hannya Hannya Hannya		
Valori richiesti		richiesti min		Programme (MIII)		30	-	75		40	V ₁	70	***************************************	140	
	granificación de solución de s					115		40	•	50	-				
Α	12.5	68	L	41		86		59		70	1 1	170	223		

TEST ALLO STATO DI FORNITURA

Test on delivery condition / Prûefung auf lieferbereitem produkt / Test a l'état de fourniture / Prueba sobre el material así come entregado TEST

						min	max	1	
A Grai	n size for ASTI	M E112				-			
								<u>D</u>	
					An	alisi chi	mica		
Cotata Alest I	mo - -	1	18.00	Ch			Analysis in alyse charge	is .	

	·y	r**	,		Chen	Ar	alisi o	chimic	a A	_		-			
Coteta Aleat Schmelze/Coules	mex 0.080	1.00	2.00	18,00	1.00	1 00	6.00	:	0.040	0 030	£ 100		jo	1	**
	C %	Si %	Mn %	Cr%	Mo %	Cu %	Ni %	Co%	P %	S %	N%	-	~-	+	+
276010	0,012	0,40	1,87	18,40	0,30	0,29	8,29	0.098	0,027	0.024	0.091				

Vicenza,	14/02/18
VCQ008 - MES	T202596
(Mod. MCE2)	SOOR SEASON SANCE LANGE SANCE LANGE SANCE

Il collaudatore di stabilimento / der Werkssachwerständige / Works inspactor / L'egent d'usine

M. RIZZOTTOGLE Lindt

Pagina - 1 di 2



Acciaierie Valbruna s.p.A.

36100 VICENZA (Italia) - Viate della scienza, 25 z l. Teletono 0444,958211 - Fax 0444,963836 Stab. 39100 BOLZANO (Italia) - Via A. Volta, 4/37 + Telefono 8471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a : EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificato nr. MEST202596 / 2018 / Prulung/Test/Essa.

Cliente / Besteller/Purchaser/Client VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801 - FORT WAYNE, IN 46801 - US

Ordine nr: 55651 437740 CASTLE

Stato di lomitura Lieferzustand Debvety stale Etal de invesson

Hot rolled Descaled Annealed Hot rolled

Produttore

ACCIAIERIE VALBRUNA S.P.A.

Tipo di Elaborazione E+AOD Enchmatungsen Meting process Mode d'eleboreron

Marchi di Fabbrica: Zeichen des Liebinwerkes Trade marks Biglés de l'usine productice

Bestell Your order Commands

Conferma ordine nr. El17012730

Qualità Werksto BSD: Edan igence T-304/304L #8560

Punzone del Collaudatore:

Werks/Out Order/Ref no Avviso di Spedizione: Listeranzeige/Packing kst/B.L

D-VI18004726

Marca Markenbezeknikelig Brand / Nuance AISI.

Punzonatura 304/304L

Corrosion test in 16% sulfuric acid and copper sulfate solutions Test standard: ASTM A262-Practice E Heat treatment Length of Test temp Result of visual inspection Test Ø spindle Bend Angle (*) before test Period (h) (°C) at 20 x magnification after Result (mm) bend test Interoranular Sensitization 15 boil 180 corrosion 5 Absence of cracks SATISFACTORY

Annealing temperature 1940°F for 1 h/water. Macroetch test: ok. Reduction ratio = 50,2 : 1 Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste Dis gestellen Ankeiderungen eind it. Ankeige erfüllt. The material has been furnahed in accordance with the requirements. Le material B ele trouvé conforme aux augences.

Controllo antimescolanza: OK Verwachskingprotung spechalenelytisch Burchgebort Antensing testing perhammed OK Controls entimelange felt r.e.s.

Controllo visivo e dimensionale, soddiste le esigenze Besichtigung und Ausmessung ohne Beanstandung Visual inspection ein! minensensil Thecks sebstactory Controle visual et dimensionse satisfestatif

Melted and manufactured in Italy

No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portat System when it leaves the production plant

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001; 2008, IATF 16949; 2016, AS 9100C

The Quality Management System is Certifled acc. Pressure Equipment Directive [197/23/EC] Annex 1. s., 4.3 and 2014/68/EU by TUEV and LLOYD'S Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acclaierie Valbruna shalf protect its rights and interests before any competent court, authority and jurisdiction. Maxival and/or Valplus grades/products are manufactured with ladte techniques to control composition, distribution, size and shape of non-metallic inclusions for improved

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser, Accialerie Vaturuna SpA shall not be responsible for any improper use of the

Vicenza, 14/02/18 VCQ008 - MEST202598

(Mod. MCE2) — митеринтики месыканалист

Il colleudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine

M.RIZZOTTOLKINATE

Pagina - 2 di 2